

ESQ15 SERIES - STANDARD INCLUSIONS

All drawings are for illustrative purposes and should be used as a guide only. It is the responsibility of the client to confirm working drawings and inclusions. Grandeur By Design Pty Ltd reserves the right to revise plans, specifications and prices without notice or obligation

PROFESSIONAL SERVICES

Section 149 Planning Certificate if not supplied by client

Site inspection and analysis by Engineer, Builder and Architect Detailed Survey for planning purposes of your block prepared by a

Registered Land Surveyor

Geotechnical Site Investigation Report (3 Pier Holes) to determine

likely soil type and foundation material

Preparation of price tender based on chosen model, inclusions and site

analysis

Architectural Documentation and Council Drawings for submission

(to council or private certifier)

BASIX Certificate

Structural and Hydraulic Engineering documentation

Standard Sydney Water Board Fees - Quick Check only

Grandeur By Design handover package for your new home

EXTERNAL

Stormwater:

Site Works: 1.8 x 2.4m temporary fencing to the front

boundary

Sediment barrier

Temporary toilet facility

Scaffolding

Surveying: Site establishment

Set out for excavation

Set out for raft slab

Final Identification Survey on completion

Sewer: Connection within 10m of new dwelling Connection to street up to 10m of new dwelling

Termite Barrier: Home guard termite barrier

Concrete Slab: Raft slab on ground floor to structural engineer's

details

Walls Masonry: Brick veneer to ground floor, rendered and painted

Walls Timber: 90 x 45mm H2 structural grade pine with all work

> in accordance with AS1684 Framing Code Breathable sarking to exterior of frames

Shadowclad fixed to frames and painted

R 2.0 Insulation

Roof Structure: Construct timber roof structure using 90 x 45mm

> H2 structural grade pine with all work in accordance with AS1684 Framing Code

Roofing: Vapour and insulation barrier

Colorbond Custom Orb within the standard

Colorbond range

All flashings, capping's, valleys, fascia within the

standard Colorbond range

115mm quad gutter within the standard Colorbond

range

90mm round downpipes within the standard

Colorbond range

Paintwork: Dulux or equivalent low VOC paint system

(3 coats - 1 base primer sealer and 2 x colour)

Rainwater: 2000 Litre above ground tank

4 external taps

Eaves: 450mm wide fibro cement sheeting with paint

External Terrace: 600 x 300 porcelain tiles to terrace, entry

court and terrace to the first floor

Balustrade: 90 x 45mm H2 structural grade pine lined

with Shadowclad and painted to first floor

terrace

Clothes line: 20m line foldable frame clothesline within the

standard Colorbond range

Timber Screen: Cedar vertical screen to Entry Court

INTERNAL

Walls: 90 x 45mm H2 structural grade pine with all work

in accordance with AS1684 Framing Code

13mm Plasterboard with paint finish

Square set window reveals

6mm Villaboard to wet areas

Floor: Timber I-Joists with all work in accordance with

AS1684 Framing Code

19mm Yellow Tongue Particle Board flooring 19mm Scyon flooring to wet areas & first floor

terrace

Ceiling Height: 2,700mm to ground floor living spaces and first

floor areas



Ceilings: 13mm plasterboard with paint finish

Square set ceiling throughout

R 3.0 Insulation to ceilings excluding garage

and covered terrace

Waterproofing: Waterproof all wet areas, complete shower

and floor area including wall perimeters

Waterproof behind hand basin splash back in accordance with Australian Standard 3740 Waterproof first floor terrace including additional layer of waterproofing to top of

screed

Additional layer of waterproofing to top of screed on first floor wet areas and ground

floor terrace and entry court

Floors: Steel trowel plain concrete finish to garage

600 x 300 porcelain tiles to ground floor areas Feltex Australia 80% wool 20% nylon blend plush carpet with 8mm Bridgestone underlay to bedrooms, lounge on the FF and home

theatre

Staircase: Closed riser timber stairs in Victorian Ash

Cedar vertical screen from floor to ceiling to

the ground floor

Frameless glass balustrades to first floor

Dulux or equivalent low VOC paint system

(3 coats - 1 base primer sealer and 2 x colour)

Fireplace: Gas Fire place

LIGHTING

Paintwork:

All Rooms: 100 x 10w LED fixed round white downlights -

warm white

Garage: 2 x 28w diffused slimline fluorescent lights

Stairs: 1 x pendant ceiling light

External Lighting: 6 x silver up/down external wall lights

11 x 10w LED fixed round white - warm white

External Sensors: 2 x white sensor units

ELECTRICAL

Power Supply: 3 Phase

Power: 42 x internal double GPO's

1 x single GPO for garage motor

3 x external double GPO's

Sub-board: 1 x located internally within garage

Smoke Detectors: 240v 9v smoke detector as required by BCA

TV points: 3 x TV Points

Telephone points: 2 x telephone points

Data Points: 8 x data points

Alarm: 1 x Bosch Solution 880 Dialer panel kit

2 x Bosch graphic LCD keypad white, located on

each level

2 x Door Reed switch 8 x Bosch PIR detectors

2 x remote control kit, arm/disarm Link to garage

motor

1 x internal siren

1 x external siren/strobe with tamper

Intercom system: 1 x audio door station bpt kit

2 x audio handsets

KITCHEN

Floor: 600 x 300 porcelain tile

Cabinets: Semi-gloss polyurethane with soft closers to all

drawers and cupboards as per plan

Benchtop: 40mm Caesar Stone benchtop with waterfall

edges to island bench

Splashback: Colourback glass splashback

Appliances: Bosh 60cm 9 Function Electric Clock Oven

Bosh 60cm 4 Element Ceran Cooktop Nob

Operation S/S Frame

Bosh 60cm Slide-out 2 speed Rangehood Bosh 25L Inbuilt Microwave with Trim Kit &

1200watt Grill

Bosh 60cm Freestanding 6 Program S/S

Dishwasher

Sink: Oliveri Elan 1,080mm 1&¾ L/H Bowl Sink 1TH

Mixer: Methven Minimalistic Sink Mixer with G/Neck &

P/Out Spray

Hot Water Unit: Rinnai Infinity 32L Continuous Flow Hot Water

System (Gas)

PANTRY

Floor: 600 x 300 porcelain tile

Shelving: White melamine adjustable shelving

Height: 2,100mm

BATHROOMS AND ENSUITE


Floor: 300 x 300 porcelain tile

Walls: 600 x 300 full height ceramic tiling
Mirror: Frameless, polished edge mirrors

Vanities: CIBO Project 8 White Poly 750 x 460 x 900

CIBO Project 8 White Poly 900 x 460 x 900

Tapware: Phoenix Vivid Range





Toilets: Stylus Banksia BTW Toilet Suite

Bath: Stylus Basis 1700 Rectangular Bath

Accessories: Phoenix Vivid Range

Shower Screen: Frameless shower screens to bath & ensuite Exhaust: 3in1 Ecotastic IXL - 4 Heat/Light/Fan - White

LAUNDRY

Floor: 300 x 300 porcelain tile

Walls: 600 x 300 full height ceramic tiling

Cabinets: Semi-gloss polyurethane with soft closers to all

drawers and cupboards as per plan

Joinery top: 20mm Caesar Stone

Mixer: Phoenix Vivid Sink Mixer

Sink: Abey Lodden 45L Flushline S/S tub

AIR CONDITIONING

Supply and installation of a reverse cycle Inverter ducted air conditioning system running off two zones,

Zone 1: Bedrooms (round outlets)

Zone 2: Kitchen living areas and home theatre (round outlets)

The indoor unit would be located in the ceiling space (suspended from the ceiling structure) with insulated flexible ductwork. The return air grille would be positioned in the hallway. A washable air filter is located within this grille. The temperature would be controlled by an electronic thermostat controller – this would be located on the wall near the return air grille. The outdoor unit would be positioned at the side of the house. Any exposed piping would be enclosed in colourbond trunking (colour within the standard Colorbond range)

JOINERY

Skirting: 90 x 18mm primed pine bevel profile
Architraves: 66 x 18mm primed pine bevel profile

Linen Cupboards: 2,040mm high flush hollow core door with 16mm

white melamine fixed shelving

Bedroom Robes: Sliding doors with bright silver frame and white

starfire infill

Long & short hanging space

4 drawers and adjustable shelving

Master Suite: Long & short hanging space

2 x sets of 4 drawers and adjustable shelving

DOORS AND WINDOWS

Entry Door: Timber solid core door with paint finish and

Gainsborough Trilock door hardware

Garage: Colorbond panel lift garage door with 2 x remote

controls, colour within the standard Colorbond range

Internal Doors: 2,040mm high flush hollow core doors with paint

finish

Windows: Windows and all glazing to be constructed in a

Vantage Section (Architectural Series) including keyed alike lockable hardware – frame colour to be within standard AWS range, flyscreens and

timber reveals to all windows

CONSTRUCTION EXCLUSIONS

Demolition

Asbestos removal Tree Removal Excavation

Removal of excess soil from site

On Site Detention

Section 94 Contributions

Services, i.e. extending gas, water, sewer, telephone and power mains

into the property

Sydney Water, Electricity inspection fees

Council permits (if required)

Road opening fees (if required)

Traffic control (if required)

Major sewer or stormwater works

Driveway

Landscaping

Retaining walls

Window coverings

Foxtel

Allowances for bush fire prone areas

PROFESSIONAL SERVICES EXCLUSIONS

NATHERS Certificate if required

Arborist Report

Any additional consultant fees for the approval stage not listed in the

inclusions list

Council Development Application Fees

Council / Private Certifier Construction Certificate Fees

Private Certifier Complying Development Fees

Any council bonds, contributions and security deposits once approved

Long Service Levy

Water Service Co-ordinator Approval if required

3D Model

PC UPGRADES: These inclusions are based on the bronze package, however, we offer upgrades to silver and gold packages.